

Safety Data Sheet dated 16/1/2015, version 1



SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier

Trade name:

DIGRAIN WASPS AND HORNETS DESTROYER

1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended use: Insecticide - Biocidal use

Uses advised against: Do not use for purposes other than those stated in "Recommended uses".

1.3. Details of the supplier of the safety data sheet

Company:

LODI UK Pensnett Trading Estate 3rd Avenue West Midlands DY6 7FD KINGSWINFORD United Kingdom Tel. 00 44 1628 779 027 Competent person responsible for the safety data sheet: fds@lodi.fr

1.4. Emergency telephone number

NPIS (National Poison Centre) - Birmingham Unit [To be called by medical staff or physicians] City Hospital, Birmingham, B18 7QH, UK Tel: 0844 892 011

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Directive criteria, 67/548/CE, 99/45/EC and following amendments thereof: Properties / Symbols:

F+ Extremely flammable

N Dangerous for the environment

R Phrases:

R12 : Extremely flammable.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R66 Repeated exposure may cause skin dryness or cracking.

EC regulation criteria 1272/2008 (CLP)

Danger, Aerosols 1, Extremely flammable aerosol. Pressurized container: may burst if heated.

Warning, Eye Irrit. 2, Causes serious eye irritation.





Warning, Aquatic Chronic 1, Very toxic to aquatic life with long lasting effects.



EUH066 Repeated exposure may cause skin dryness or cracking.

Adverse physicochemical, human health and environmental effects: No other hazards

2.2. Label elements



Danger

Hazard statements:

H222+H229 Extremely flammable aerosol. Pressurized container: may burst if heated. H319 Causes serious eye irritation.

H410 Very toxic to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

Precautionary statements:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P251 Do not pierce or burn, even after use.

P102 Keep out of reach of children.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P410+P412 Protect from sunlight. Do no expose to temperatures exceeding 50 °C/122°F.

P501 Dispose of contents/container in accordance with applicable regulations. Special Provisions:

None

Contents

Permethrin: May produce an allergic reaction.

Special provisions according to Annex XVII of REACH and subsequent amendments: None

2.3. Other hazards

vPvB Substances: None - PBT Substances: None Other Hazards: No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

This SDS concerns a mixture, see 3.2.

3.2. Mixtures

Hazardous components within the meaning of EEC directive 67/548 and CLP regulation and related classification:

1.70% Piperonyl Butoxide REACH No.: 01-2119537431-046, CAS: 51-03-6, EC: 200-076-7 N; R50/53 4.1/A1 Aquatic Acute 1 H400

4.1/C1 Aquatic Chronic 1 H410



0.24% Permethrin Index number: 613-058-00-2, CAS: 52645-53-1, EC: 258-067-9 Xn,Xi,N; R20/22-43-50/53 () 3.4.2/1-1A-1B Skin Sens. 1,1A,1B H317

- 4.1/A1 Aquatic Acute 1 H400
- 4.1/C1 Aquatic Chronic 1 H410
- 3.1/4/Oral Acute Tox. 4 H302
- 3.1/4/Inhal Acute Tox. 4 H332

0.23% Tetraméthrine CAS: 7696-12-0, EC: 231-711-6 N; R50/53 4.1/A1 Aquatic Acute 1 H400

4.1/C1 Aquatic Chronic 1 H410

< 20% Hydrocarbures, C11-C14, n-alcanes, isoalcanes, cycliques, <2% aromatiques REACH No.: 01-2119456620-43, CAS: 64742-47-8, EC: 926-141-6 Xn; R65-66 3.10/1 Asp. Tox. 1 H304

< 10% propan-2-ol; isopropyl alcohol; isopropanol Index number: 603-117-00-0, CAS: 67-63-0, EC: 200-661-7 F,Xi; R11-36-67 2.6/2 Flam. Liq. 2 H225

() 3.3/2 Eye Irrit. 2 H319

3.8/3 STOT SE 3 H336

< 10% propane Index number: 601-003-00-5, CAS: 74-98-6, EC: 200-827-9 F+; R12; substance with a Community workplace exposure limit 2.2/1 Flam. Gas 1 H220

< 10% acetone; propan-2-one; propanone Index number: 606-001-00-8, CAS: 67-64-1, EC: 200-662-2 F,Xi; R11-36-66-67 2.6/2 Flam. Liq. 2 H225

(1) 3.3/2 Eye Irrit. 2 H319

3.8/3 STOT SE 3 H336



SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed None

4.3. Indication of any immediate medical attention and special treatment needed Treatment:

None

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Water. Carbon dioxide (CO2). Extinguishing media which must not be used for safety reasons: None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases. Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus . Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment. Remove persons to safety. See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand.

6.3. Methods and material for containment and cleaning up



Rapidly recover the product. To do so, wear a mask and protective clothing. Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists. Don't use empty container before they have been cleaned. Before making transfer operations, assure that there aren't any incompatible material residuals in the containers. Contamined clothing should be changed before entering eating areas. Do not eat or drink while working. See also section 8 for recommended protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Keep in a dry and cool place. Keep away from heat and direct sunlight. Store in original container, tightly closed Keap out of reach of children Store away from: open flame, direct sunlight, sparks, heat. Do not smoke Always keep the containers tightly closed. Keep away from food, drink and feed. Incompatible materials: None in particular. Instructions as regards storage premises: Adequately ventilated premises.

7.3. Specific end use(s)

None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

propan-2-ol; isopropyl alcohol; isopropanol - CAS: 67-63-0 ACGIH, 200 ppm, 400 ppm - Notes: A4, BEI - Eye and URT irr, CNS impair propane - CAS: 74-98-6 TLV TWA - 1000 ppm - 0 mg/m3 acetone; propan-2-one; propanone - CAS: 67-64-1 EU - LTE(8h): 1210 mg/m3, 500 ppm - Notes: Bold-type: Indicative Occupational Exposure Limit Values [2,3] and Limit Values for Occupational Exposure [4] (for

references see bibliography)

ACGIH, 500 ppm, 750 ppm - Notes: (A4), BEI - (URT and eye irr, CNS impair, hematologic eff)

DNEL Exposure Limit Values

N.A.

PNEC Exposure Limit Values

N.A.

8.2. Exposure controls

Eye protection:

Eye protection is required only if there is a risk of splashing or spraying liquid.



Protection for skin: Avoid contact with skin Protection for hands: Wear gloves Wash hands after handling. Respiratory protection: Not needed for normal use. Thermal Hazards: None Environmental exposure controls: Avoid release in the environment Avoid release in watercourses and sewers

SECTION 9: Physical and chemical properties

TION 9: Physical and chemical properties	
9.1. Information on basic physical and chemical properties	
Appearance and colour:	Liquid
Odour:	N.A.
Odour threshold:	N.A.
pH:	N.A.
Melting point / freezing point:	N.A.
Initial boiling point and boiling range:	N.A.
Solid/gas flammability:	N.A.
Upper/lower flammability or explosive limits:	N.A.
Vapour density:	N.A.
Flash point:	N.A.
Evaporation rate:	N.A.
Vapour pressure:	N.A.
Relative density:	<1
Solubility in water:	insoluble
Solubility in oil:	N.A.
Partition coefficient (n-octanol/water):	N.A.
Auto-ignition temperature:	N.A.
Decomposition temperature:	N.A.
Viscosity:	N.A.
Explosive properties:	N.A.
Oxidizing properties:	N.A.
9.2. Other information	
Miscibility:	N.A.
Fat Solubility:	N.A.
Conductivity:	N.A.
Substance Groups relevant properties	N.A.

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions.

10.2. Chemical stability

Stable under normal conditions.

- **10.3. Possibility of hazardous reactions** None.
- 10.4. Conditions to avoid



Stable under normal conditions.

- 10.5. Incompatible materials None in particular.
- 10.6. Hazardous decomposition products None.

SECTION 11: Toxicological information

```
11.1. Information on toxicological effects
Toxicological information of the mixture:
      N.A.
Toxicological information of the main substances found in the mixture:
      Piperonyl Butoxide - CAS: 51-03-6
         a) acute toxicity:
            Test: LD50 - Route: oral - Species: Rat : = 4570-7720 mg/Kg
            Test: LD50 - Route: dermal - Species: Rabbit : > 2000 mg/Kg
            Test: LC50 - Route: Inhalation - Species: Rat : > 5.9 mg/L - Duration: 4h
      Permethrin - CAS: 52645-53-1
         a) acute toxicity:
            Test: LD50 - Route: oral - Species: Rat : > 2000 mg/Kg
            Test: LD50 - Route: dermal - Species: Rat : > 2000 mg/Kg
            Test: LC50 - Route: Inhalation - Species: Rat : > 0.45 mg/L
      acetone; propan-2-one; propanone - CAS: 67-64-1
```

LD50 (RABBIT) ORAL: 5300 MG/KG

If not differently specified, the information required in Regulation 453/2010/EC listed below must be considered as N.A.:

a) acute toxicity;

- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation:
- e) germ cell mutagenicity:
- f) carcinogenicity:
- g) reproductive toxicity:
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- i) aspiration hazard.

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Piperonyl Butoxide - CAS: 51-03-6

a) Aquatic acute toxicity:

Endpoint: EC50 Daphnia = 0.51 mg/L - Duration h: 48

- Permethrin CAS: 52645-53-1
 - a) Aquatic acute toxicity:
 - Endpoint: LC50 Fish = 0.0089 mg/L Duration h: 96

Endpoint: LC50 Daphnia = 0.020 mg/L - Duration h: 24

Endpoint: EC50 Algae > 0.011 mg/L - Duration h: 72

Tetraméthrine - CAS: 7696-12-0



12.2.		sh = 0.0037 mg/L - Duration h: 96 aphnia magna = 0.110 mg/L - Duration h: 48
12.3.	Bioaccumulative potential N.A.	
12.4.	Mobility in soil N.A.	
12.5.	Results of PBT and vPvB asse vPvB Substances: None - PBT	
12.6.	Other adverse effects None	
	13: Disposal considerations Waste treatment methods Recover if possible. In so doing force.	, comply with the local and national regulations currently in
	14: Transport information UN number ADR-UN number:	1950
14.2.	UN proper shipping name ADR-Shipping Name:	Aérosols, flammable
14.3.	Transport hazard class(es) ADR-Class:	2.1
14.4.	Packing group N.A.	
14.5.	Environmental hazards N.A.	
14.6.	Special precautions for user N.A.	
14.7.	Transport in bulk according to N.A.	Annex II of MARPOL73/78 and the IBC Code
SECTION	15: Regulatory information	

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Dir. 67/548/EEC (Classification, packaging and labelling of dangerous substances)
- Dir. 99/45/EC (Classification, packaging and labelling of dangerous preparations)
- Dir. 98/24/EC (Risks related to chemical agents at work)
- Dir. 2000/39/EC (Occupational exposure limit values)



Dir. 2006/8/EC Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) n. 453/2010 (Annex I) Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: Restrictions related to the product: **Restriction 3 Restriction 40** Restrictions related to the substances contained: No restriction. Where applicable, refer to the following regulatory provisions : Directive 2003/105/CE ('Activities linked to risks of serious accidents') and subsequent amendments. Regulation (EC) nr 648/2004 (detergents). 1999/13/EC (VOC directive)

Provisions related to directives 82/501/EC(Seveso), 96/82/EC(Seveso II): N.A.

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of phrases referred to in Section 3:

R11 Highly flammable.

R12 Extremely flammable.

R20/22 Harmful by inhalation and if swallowed.

R36 Irritating to eyes.

R43 May cause sensitization by skin contact.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R65 Harmful: may cause lung damage if swallowed.

R66 Repeated exposure may cause skin dryness or cracking.

R67 Vapours may cause drowsiness and dizziness.

H304 May be fatal if swallowed and enters airways.

- H225 Highly flammable liquid and vapour.
- H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H220 Extremely flammable gas.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H317 May cause an allergic skin reaction.

H302 Harmful if swallowed.

H332 Harmful if inhaled.

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities



SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

CCNL - Appendix 1

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

CAS:Chemical Abstracts Service (division of the American Chemical Society).CLP:Classification, Labeling, Packaging.CSR:Chemical safety reportDNEL:Derived No Effect Level.EC50:European Inventory of Existing Commercial Chemical Substances.GefStoffVO:Ordinance on Hazardous Substances, Germany.GHS:Globally Harmonized System of Classification and Labeling of Chemicals.IATA:International Air Transport Association.IATA:International Civil Aviation Organization.ICAO:International Civil Aviation Organization.ICAO:International Maritime Code for Dangerous Goods.INCI:International Maritime Code for Dangerous Goods.INCI:International Nomenclature of Cosmetic Ingredients.KSt:Explosion coefficient.LC50:Lethal concentration, for 50 percent of test population.LD50:Lethal dose, for 50 percent of test population.LTE:Long-term exposure.N.A.:Not availablePNEC:Predicted No Effect Concentration.RID:Regulation Concerning the International Transport of Dangerous Goods by Rail.STEI:Short Term exposure limit.STOT:Specific Target Organ Toxicity.TLV:Threshold Limiting Value.TWATLV:Threshold Limiting Value.UN:United NationsWGK:German Water Hazard Class.	ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
CLP:Classification, Labeling, Packaging.CSR:Chemical safety reportDNEL:Derived No Effect Level.EC50:European Inventory of Existing Commercial Chemical Substances.GefStoffVO:Ordinance on Hazardous Substances, Germany.GHS:Globally Harmonized System of Classification and Labeling of Chemicals.IATA:International Air Transport Association.IATA:International Air Transport Association.IATA:International Civil Aviation Drganization.ICAO:International Civil Aviation Organization.ICAO:International Maritime Code for Dangerous Goods.INCI:International Maritime Code for Dangerous Goods.INCI:International Maritime Code for Dangerous Goods.INCI:International Nomenclature of Cosmetic Ingredients.KSt:Explosion coefficient.LC50:Lethal dose, for 50 percent of test population.LTE:Long-term exposure.N.A.:Not availablePNEC:Predicted No Effect Concentration.RID:Regulation Concerning the International Transport of Dangerous Goods by Rail.STEL:Short-term exposure.STEL:Short-term exposure.STEL:Short Term Exposure limit.STOT:Specific Target Organ Toxicity.TLV:Threshold Limiting Value.TWATLV:Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).UN:United Nations	CAS:	Chemical Abstracts Service (division of the American Chemical
CSR:Chemical safety reportDNEL:Derived No Effect Level.EC50:European Inventory of Existing Commercial Chemical Substances.GefStoffVO:Ordinance on Hazardous Substances, Germany.GHS:Globally Harmonized System of Classification and Labeling of Chemicals.IATA:International Air Transport Association.IATA:International Air Transport Association.IATA:International Civil Aviation Organization.ICAO:International Civil Aviation Organization.ICAO:International Maritime Code for Dangerous Goods.INCI:International Momenclature of Cosmetic Ingredients.KSt:Explosion coefficient.LC50:Lethal concentration, for 50 percent of test population.LTE:Long-term exposure.N.A.:Not availablePNEC:Predicted No Effect Concentration.RID:Regulation Concerning the International Transport of Dangerous Goods by Rail.STEL:Short-term exposure.STEL:Short-term exposure.STEL:Short-term exposure.STEL:Short-term exposure.STEL:Short-term exposure.STEL:Short-term exposure.STEL:Short-term exposure.STEL:Short-term exposure.STEL:Short-term exposure.STEL:Short-term exposure.STEL:<	CLP:	
DNEL:Derived No Effect Level.EC50:EINECS:European Inventory of Existing Commercial Chemical Substances.GefStoffVO:Ordinance on Hazardous Substances, Germany.GHS:Globally Harmonized System of Classification and Labeling of Chemicals.IATA:International Air Transport Association.IATA:International Air Transport Association.IATA:International Civil Aviation by the "International Air Transport Association" (IATA).ICAO:International Civil Aviation Organization.ICAO:International Maritime Code for Dangerous Goods.INCI:International Maritime Code for Dangerous Goods.INCI:International Maritime Code for Dangerous Goods.INCI:International Momenclature of Cosmetic Ingredients.KSt:Explosion coefficient.LC50:Lethal concentration, for 50 percent of test population.LD50:Lethal dose, for 50 percent of test population.LTE:Long-term exposure.N.A.:Not availablePNEC:Predicted No Effect Concentration.RID:Regulation Concerning the International Transport of Dangerous Goods by Rail.STE:Short-term exposure.STEL:Short Term Exposure limit.STOT:Specific Target Organ Toxicity.TLV:Threshold Limiting Value.TWATLV:Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).UN:United Nations	CSR:	
GefStoffVO:Ordinance on Hazardous Substances, Germany.GHS:Globally Harmonized System of Classification and Labeling of Chemicals.IATA:International Air Transport Association.IATA:International Air Transport Association.IATA:Dangerous Goods Regulation by the "International Air Transport Association" (IATA).ICAO:International Civil Aviation Organization.ICAO:International Civil Aviation Organization.ICAO:International Maritime Code for Dangerous Goods.INCI:International Maritime Code for Dangerous Goods.INCI:International Maritime Code for Dangerous Goods.INCI:International Nomenclature of Cosmetic Ingredients.KSt:Explosion coefficient.LC50:Lethal concentration, for 50 percent of test population.LTE:Long-term exposure.N.A.:Not availablePNEC:Predicted No Effect Concentration.RID:Regulation Concerning the International Transport of Dangerous Goods by Rail.STEE:Short-term exposure.STEL:Short-term exposure limit.STOT:Specific Target Organ Toxicity.TLV:Threshold Limiting Value.TWATLV:Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).UN:United Nations		Derived No Effect Level.
GHS:Globally Harmonized System of Classification and Labeling of Chemicals.IATA:International Air Transport Association.IATA:International Air Transport Association.IATA:Dangerous Goods Regulation by the "International Air Transport Association" (IATA).ICAO:International Civil Aviation Organization.ICAO:International Civil Aviation Organization.ICAO:Technical Instructions by the "International Civil Aviation Organization" (ICAO).IMDG:International Maritime Code for Dangerous Goods.INCI:International Maritime Code for Dangerous Goods.INCI:International Nomenclature of Cosmetic Ingredients.KSt:Explosion coefficient.LC50:Lethal concentration, for 50 percent of test population.LTE:Long-term exposure.N.A.:Not availablePNEC:Predicted No Effect Concentration.RID:Regulation Concerning the International Transport of Dangerous Goods by Rail.STEL:Short-term exposure.STEL:Short-term exposure.STEL:Short Term Exposure limit.STOT:Specific Target Organ Toxicity.TLV:Threshold Limiting Value.TWATLV:Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).UN:United Nations	EINECS:	European Inventory of Existing Commercial Chemical Substances.
Chemicals.IATA:International Air Transport Association.IATA-DGR:Dangerous Goods Regulation by the "International Air Transport Association" (IATA).ICAO:International Civil Aviation Organization.ICAO:International Civil Aviation Organization.ICAO:International Civil Aviation Organization.ICAO:International Maritime Code for Dangerous Goods.INCI:International Momenclature of Cosmetic Ingredients.KSt:Explosion coefficient.LC50:Lethal concentration, for 50 percent of test population.LD50:Lethal dose, for 50 percent of test population.LTE:Long-term exposure.N.A.:Not availablePNEC:Predicted No Effect Concentration.RID:Regulation Concerning the International Transport of Dangerous Goods by Rail.STEL:Short-term exposure.STEL:Short Term Exposure limit.STOT:Specific Target Organ Toxicity.TLV:Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).UN:United Nations	GefStoffVO:	Ordinance on Hazardous Substances, Germany.
IATA-DGR:Dangerous Goods Regulation by the "International Air Transport Association" (IATA).ICAO:International Civil Aviation Organization.ICAO-TI:Technical Instructions by the "International Civil Aviation Organization" (ICAO).IMDG:International Maritime Code for Dangerous Goods.INCI:International Maritime Code for Dangerous Goods.INCI:International Nomenclature of Cosmetic Ingredients.KSt:Explosion coefficient.LC50:Lethal concentration, for 50 percent of test population.LD50:Lethal dose, for 50 percent of test population.LTE:Long-term exposure.N.A.:Not availablePNEC:Predicted No Effect Concentration.RID:Regulation Concerning the International Transport of Dangerous Goods by Rail.STE:Short-term exposure.STEL:Short Term Exposure limit.STOT:Specific Target Organ Toxicity.TLV:Threshold Limiting Value.TWATLV:Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).UN:United Nations	GHS:	, , ,
Association" (IATA).ICAO:International Civil Aviation Organization.ICAO-TI:Technical Instructions by the "International Civil Aviation Organization" (ICAO).IMDG:International Maritime Code for Dangerous Goods.INCI:International Maritime Code for Dangerous Goods.INCI:International Nomenclature of Cosmetic Ingredients.KSt:Explosion coefficient.LC50:Lethal concentration, for 50 percent of test population.LD50:Lethal dose, for 50 percent of test population.LTE:Long-term exposure.N.A.:Not availablePNEC:Predicted No Effect Concentration.RID:Regulation Concerning the International Transport of Dangerous Goods by Rail.STE:Short-term exposure.STEL:Short Term Exposure limit.STOT:Specific Target Organ Toxicity.TLV:Threshold Limiting Value.TWATLV:Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).UN:United Nations	IATA:	International Air Transport Association.
ICAO-TI:Technical Instructions by the "International Civil Aviation Organization" (ICAO).IMDG:International Maritime Code for Dangerous Goods.INCI:International Nomenclature of Cosmetic Ingredients.KSt:Explosion coefficient.LC50:Lethal concentration, for 50 percent of test population.LD50:Lethal dose, for 50 percent of test population.LTE:Long-term exposure.N.A.:Not availablePNEC:Predicted No Effect Concentration.RID:Regulation Concerning the International Transport of Dangerous Goods by Rail.STEI:Short-term exposure.STOT:Specific Target Organ Toxicity.TLV:Threshold Limiting Value.TWATLV:Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).UN:United Nations	IATA-DGR:	
(ICAO).IMDG:International Maritime Code for Dangerous Goods.INCI:International Nomenclature of Cosmetic Ingredients.KSt:Explosion coefficient.LC50:Lethal concentration, for 50 percent of test population.LD50:Lethal dose, for 50 percent of test population.LTE:Long-term exposure.N.A.:Not availablePNEC:Predicted No Effect Concentration.RID:Regulation Concerning the International Transport of Dangerous Goods by Rail.STEE:Short-term exposure.STEL:Short Term Exposure limit.STOT:Specific Target Organ Toxicity.TLV:Threshold Limiting Value.TWATLV:Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).UN:United Nations	ICAO:	International Civil Aviation Organization.
INCI:International Nomenclature of Cosmetic Ingredients.KSt:Explosion coefficient.LC50:Lethal concentration, for 50 percent of test population.LD50:Lethal dose, for 50 percent of test population.LTE:Long-term exposure.N.A.:Not availablePNEC:Predicted No Effect Concentration.RID:Regulation Concerning the International Transport of Dangerous Goods by Rail.STEL:Short-term exposure.STEL:Short Term Exposure limit.STOT:Specific Target Organ Toxicity.TLV:Threshold Limiting Value.TWATLV:Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).UN:United Nations	ICAO-TI:	
KSt:Explosion coefficient.LC50:Lethal concentration, for 50 percent of test population.LD50:Lethal dose, for 50 percent of test population.LTE:Long-term exposure.N.A.:Not availablePNEC:Predicted No Effect Concentration.RID:Regulation Concerning the International Transport of Dangerous Goods by Rail.STE:Short-term exposure.STEL:Short Term Exposure limit.STOT:Specific Target Organ Toxicity.TLV:Threshold Limiting Value.TWATLV:Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).UN:United Nations	IMDG:	International Maritime Code for Dangerous Goods.
LC50:Lethal concentration, for 50 percent of test population.LD50:Lethal dose, for 50 percent of test population.LTE:Long-term exposure.N.A.:Not availablePNEC:Predicted No Effect Concentration.RID:Regulation Concerning the International Transport of Dangerous Goods by Rail.STE:Short-term exposure.STEL:Short Term Exposure limit.STOT:Specific Target Organ Toxicity.TLV:Threshold Limiting Value.TWATLV:Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).UN:United Nations	INCI:	International Nomenclature of Cosmetic Ingredients.
LD50:Lethal dose, for 50 percent of test population.LTE:Long-term exposure.N.A.:Not availablePNEC:Predicted No Effect Concentration.RID:Regulation Concerning the International Transport of Dangerous Goods by Rail.STE:Short-term exposure.STEL:Short Term Exposure limit.STOT:Specific Target Organ Toxicity.TLV:Threshold Limiting Value.TWATLV:Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).UN:United Nations	KSt:	Explosion coefficient.
LTE:Long-term exposure.N.A.:Not availablePNEC:Predicted No Effect Concentration.RID:Regulation Concerning the International Transport of Dangerous Goods by Rail.STE:Short-term exposure.STEL:Short Term Exposure limit.STOT:Specific Target Organ Toxicity.TLV:Threshold Limiting Value.TWATLV:Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).UN:United Nations		
N.A.:Not availablePNEC:Predicted No Effect Concentration.RID:Regulation Concerning the International Transport of Dangerous Goods by Rail.STE:Short-term exposure.STEL:Short Term Exposure limit.STOT:Specific Target Organ Toxicity.TLV:Threshold Limiting Value.TWATLV:Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).UN:United Nations		
PNEC:Predicted No Effect Concentration.RID:Regulation Concerning the International Transport of Dangerous Goods by Rail.STE:Short-term exposure.STEL:Short Term Exposure limit.STOT:Specific Target Organ Toxicity.TLV:Threshold Limiting Value.TWATLV:Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).UN:United Nations		
RID:Regulation Concerning the International Transport of Dangerous Goods by Rail.STE:Short-term exposure.STEL:Short Term Exposure limit.STOT:Specific Target Organ Toxicity.TLV:Threshold Limiting Value.TWATLV:Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).UN:United Nations		
by Rail. STE: Short-term exposure. STEL: Short Term Exposure limit. STOT: Specific Target Organ Toxicity. TLV: Threshold Limiting Value. TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard). UN: United Nations	-	
STEL:Short Term Exposure limit.STOT:Specific Target Organ Toxicity.TLV:Threshold Limiting Value.TWATLV:Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).UN:United Nations	RID:	
STOT:Specific Target Organ Toxicity.TLV:Threshold Limiting Value.TWATLV:Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).UN:United Nations	STE:	Short-term exposure.
TLV:Threshold Limiting Value.TWATLV:Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).UN:United Nations	STEL:	
TWATLV:Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).UN:United Nations	STOT:	
(ACGIH Standard). UN: United Nations		
	TWATLV:	
WGK: German Water Hazard Class.	UN:	United Nations
	WGK:	German Water Hazard Class.